

## Observed

Answers

<u>Record</u>	<u>Type</u>	<u>Usage</u>	<u>Sources</u>	<u>Ports</u>
_afpovertcp._tcp.local	PTR		Hosts (Apple)	N/A
_axis-video._tcp.local	PTR		Cameras (Axis)	N/A
_blackarmor4dconfig._tcp.local	PTR		Network Attached Storage (Seagate)	N/A
_blackarmor4dinfo._udp.local	PTR		Network Attached Storage (Seagate)	N/A
_ftp._tcp.local	PTR		Printers (HP)	N/A
_http._tcp.local	PTR		Printers (HP), Network Attached Storage (S	N/A
_home-sharing._tcp.local	PTR		Hosts (Windows(7))	N/A
_ipp._tcp.local	PTR		Printers (HP)	N/A
_libvirt._tcp.local	PTR		Hosts (Linux)	N/A
_net-assistant._udp.local	PTR		Hosts (Apple)	N/A
_odisk._tcp.local	PTR		Hosts (Apple)	N/A
_pdl-datastream._tcp.local	PTR		Printers (HP)	N/A
_printer._tcp.local	PTR		Printers (HP)	N/A
_rfb._tcp.local	PTR		Hosts (Apple)	N/A
_rtsp._tcp.local	PTR		Cameras (Axis)	N/A
_services._dns-sd._udp.local	PTR		Hosts (Apple), Hosts (Linux)	N/A
_sftp-ssh._tcp.local	PTR		Hosts (Apple), Hosts (Linux)	N/A
_smb._tcp.local	PTR		Network Attached Storage (Seagate)	N/A
_ssh._tcp.local	PTR		Hosts (Apple), Hosts (Linux)	N/A
_telnet._tcp.local	PTR		Printers (HP)	N/A
_udisks-ssh._tcp.local	PTR		Hosts (Linux)	N/A
_workstation._tcp.local	PTR		Hosts (Linux)	N/A

By Type

## Observed

Answers

<u>Record</u>	<u>Type</u>	<u>Usage</u>	<u>Sources</u>	<u>Ports</u>
<i>HostName</i> ._afpovertcp._tcp.local	SRV		Hosts (Apple)	548
<i>HostName</i> ._axis-video._tcp.local	SRV		Cameras (Axis)	80
<i>HostName</i> ._blackarmor4dconfig._tcp.local	SRV		Network Attached Storage (Seagate)	4301
<i>HostName</i> ._blackarmor4dinfo._udp.local	SRV		Network Attached Storage (Seagate)	4301
<i>HostName</i> ._ftp._tcp.local	SRV		Printers (HP)	21
<i>HostName</i> ._http._tcp.local	SRV		Printers (HP), Network Attached Storage (S	80
<i>SharePath</i> ._home-sharing._tcp.local	SRV		Hosts (Windows(7))	3689
<i>HostName</i> ._ipp._tcp.local	SRV		Printers (HP)	631
Virtualization Host <i>HostName</i> ._libvirt._tcp.local	SRV		Hosts (Linux)	0
<i>HostName</i> ._migo._tcp.local	SRV		Kiosks (?)	5353
<i>HostName</i> ._net-assistant._udp.local	SRV		Hosts (Apple)	3283
<i>HostName</i> ._odisk._tcp.local	SRV		Hosts (Apple)	49152
<i>HostName</i> ._pdl-datastream._tcp.local	SRV		Printers (HP)	9100
<i>HostName</i> ._printer._tcp.local	SRV		Printers (HP)	515
<i>HostName</i> ._rfb._tcp.local	SRV		Hosts (Apple)	5900
<i>HostName</i> ._rtsp._tcp.local	SRV		Cameras (Axis)	554
<i>HostName</i> ._sftp-ssh._tcp.local	SRV		Hosts (Apple), Hosts (Linux)	22
<i>HostName</i> ._smb._tcp.local	SRV		Network Attached Storage (Seagate)	445
<i>HostName</i> ._ssh._tcp.local	SRV		Hosts (Apple), Hosts (Linux)	22
<i>HostName</i> ._telnet._tcp.local	SRV		Printers (HP)	23
<i>HostName</i> ._udisks-ssh._tcp.local	SRV		Hosts (Linux)	22
<i>HostName</i> [ <i>Mac Address</i> ]._workstation._tcp.local	SRV		Hosts (Linux)	9

By Type

# Observed

Answers

<u>Record</u>	<u>Type</u>	<u>Usage</u>	<u>Sources</u>	<u>Ports</u>
<i>HostName</i> ._afpovertcp._tcp.local	TXT		Hosts (Apple)	N/A
<i>HostName</i> ._axis-video._tcp.local	TXT		Cameras (Axis)	N/A
<i>HostName</i> ._blackarmor4dconfig._tcp.local	TXT		Network Attached Storage (Seagate)	N/A
			<u>Additional</u> NAS vendor, model, and version Administrative interface	
<i>HostName</i> ._blackarmor4dinfo._udp.local	TXT		Network Attached Storage (Seagate)	N/A
			<u>Additional</u> NAS vendor, model, and version Administrative interface	
<i>HostName</i> ._device-info._tcp.local	TXT		Hosts (Apple)	N/A
			<u>Additional</u> Operating System make, and model	
<i>HostName</i> ._ftp._tcp.local	TXT		Printers (HP)	N/A
<i>HostName</i> ._http._tcp.local	TXT		Printers (HP), Network Attached Storage (S	N/A
<i>SharePath</i> ._home-sharing._tcp.local	TXT		Hosts (Windows(7))	N/A
			<u>Additional</u> Machine name and id Version information	

# Observed

Answers

<u>Record</u>	<u>Type</u>	<u>Usage</u>	<u>Sources</u>	<u>Ports</u>
<i>HostName</i> ._ipp_tcp.local	TXT		Printers (HP)	N/A
			<u>Additional</u> Printer make, model, and engine Administrative interface Notes (User, Location) Queue Information	
<i>HostName</i> ._migo_tcp.local	TXT		Kiosks (?)	N/A
<i>HostName</i> ._net-assistant_udp.local	TXT		Hosts (Apple)	N/A
<i>HostName</i> ._odisk_tcp.local	TXT		Hosts (Apple)	N/A
			<u>Additional</u> Service Configuration	
<i>HostName</i> ._pdl-datastream_tcp.local	TXT		Printers (HP)	N/A
			<u>Additional</u> Printer make, model, and engine Administrative interface Notes (User, Location) Queue Information	

By Type

# Observed

Answers

<u>Record</u>	<u>Type</u>	<u>Usage</u>	<u>Sources</u>	<u>Ports</u>
<i>HostName</i> ._printer._tcp.local	TXT		Printers (HP)	N/A
			<u>Additional</u> Printer make, model, and engine Administrative interface Notes (User, Location) Queue Information	
<i>HostName</i> ._rfb._tcp.local	TXT		Hosts (Apple)	N/A
<i>HostName</i> ._rtsp._tcp.local	TXT		Cameras (Axis)	N/A
<i>HostName</i> ._sftp-ssh._tcp.local	TXT		Hosts (Apple), Hosts (Linux)	N/A
<i>HostName</i> ._smb._tcp.local	TXT		Network Attached Storage (Seagate)	N/A
			<u>Additional</u> Appliance make, and model Administrative interface	
<i>HostName</i> ._ssh._tcp.local	TXT		Hosts (Apple), Hosts (Linux)	N/A
<i>HostName</i> ._telnet._tcp.local	TXT		Printers (HP)	N/A
<i>HostName</i> ._udisks-ssh._tcp.local	TXT		Hosts (Linux)	N/A
<i>HostName</i> .local	A		Hosts (All), Network Attached Storage (All),	N/A
<i>HostName</i> .local	AAAA		Hosts (All), Network Attached Storage (All),	N/A
<i>HostName</i> .local	HINFO		Hosts (Linux)	N/A

By Type

Asked

\_sleep-proxy.\_udp.local

\_touch-able.\_tcp.local

PTR

SRV

By Type

## Observed

Answers

<u>Record</u>	<u>Type</u>	<u>Usage</u>	<u>Sources</u>	<u>Ports</u>
<i>_afpovertcp._tcp.local</i>	PTR		Hosts (Apple)	N/A
<i>HostName._afpovertcp._tcp.local</i>	SRV		Hosts (Apple)	548
<i>HostName._afpovertcp._tcp.local</i>	TXT		Hosts (Apple)	N/A
<i>_axis-video._tcp.local</i>	PTR		Cameras (Axis)	N/A
<i>HostName._axis-video._tcp.local</i>	SRV		Cameras (Axis)	80
<i>HostName._axis-video._tcp.local</i>	TXT		Cameras (Axis)	N/A
<i>_blackarmor4dconfig._tcp.local</i>	PTR		Network Attached Storage (Seagate)	N/A
<i>HostName._blackarmor4dconfig._tcp.local</i>	SRV		Network Attached Storage (Seagate)	4301
<i>HostName._blackarmor4dconfig._tcp.local</i>	TXT		Network Attached Storage (Seagate)	N/A
			<u>Additional</u> NAS vendor, model, and version Administrative interface	
<i>_blackarmor4dinfo._udp.local</i>	PTR		Network Attached Storage (Seagate)	N/A
<i>HostName._blackarmor4dinfo._udp.local</i>	SRV		Network Attached Storage (Seagate)	4301
<i>HostName._blackarmor4dinfo._udp.local</i>	TXT		Network Attached Storage (Seagate)	N/A
			<u>Additional</u> NAS vendor, model, and version Administrative interface	
<i>HostName._device-info._tcp.local</i>	TXT		Hosts (Apple)	N/A
			<u>Additional</u> Operating System make, and model	
<i>_ftp._tcp.local</i>	PTR		Printers (HP)	N/A

# Observed

Answers

<u>Record</u>	<u>Type</u>	<u>Usage</u>	<u>Sources</u>	<u>Ports</u>
<i>HostName</i> ._ftp._tcp.local	SRV		Printers (HP)	21
<i>HostName</i> ._ftp._tcp.local	TXT		Printers (HP)	N/A
_http._tcp.local	PTR		Printers (HP), Network Attached Storage (S	N/A
<i>HostName</i> ._http._tcp.local	SRV		Printers (HP), Network Attached Storage (S	80
<i>HostName</i> ._http._tcp.local	TXT		Printers (HP), Network Attached Storage (S	N/A
_home-sharing._tcp.local	PTR		Hosts (Windows(7))	N/A
<i>SharePath</i> ._home-sharing._tcp.local	SRV		Hosts (Windows(7))	3689
<i>SharePath</i> ._home-sharing._tcp.local	TXT		Hosts (Windows(7))	N/A
			<u>Additional</u> Machine name and id Version information	
_ipp._tcp.local	PTR		Printers (HP)	N/A
<i>HostName</i> ._ipp._tcp.local	SRV		Printers (HP)	631
<i>HostName</i> ._ipp._tcp.local	TXT		Printers (HP)	N/A
			<u>Additional</u> Printer make, model, and engine Administrative interface Notes (User, Location) Queue Information	
_libvirt._tcp.local	PTR		Hosts (Linux)	N/A
Virtualization Host <i>HostName</i> ._libvirt._tcp.local	SRV		Hosts (Linux)	0
<i>HostName</i> ._migo._tcp.local	SRV		Kiosks (?)	5353
<i>HostName</i> ._migo._tcp.local	TXT		Kiosks (?)	N/A
_net-assistant._udp.local	PTR		Hosts (Apple)	N/A

# Observed

Answers

<u>Record</u>	<u>Type</u>	<u>Usage</u>	<u>Sources</u>	<u>Ports</u>
<i>HostName</i> ._net-assistant._udp.local	SRV		Hosts (Apple)	3283
<i>HostName</i> ._net-assistant._udp.local	TXT		Hosts (Apple)	N/A
_odisk._tcp.local	PTR		Hosts (Apple)	N/A
<i>HostName</i> ._odisk._tcp.local	SRV		Hosts (Apple)	49152
<i>HostName</i> .odisk._tcp.local	TXT		Hosts (Apple)	N/A
<u>Additional</u>				
Service Configuration				
_pdl-datastream._tcp.local	PTR		Printers (HP)	N/A
<i>HostName</i> ._pdl-datastream._tcp.local	SRV		Printers (HP)	9100
<i>HostName</i> ._pdl-datastream._tcp.local	TXT		Printers (HP)	N/A
<u>Additional</u>				
Printer make, model, and engine				
Administrative interface				
Notes (User, Location)				
Queue Information				
_printer._tcp.local	PTR		Printers (HP)	N/A
<i>HostName</i> ._printer._tcp.local	SRV		Printers (HP)	515
<i>HostName</i> ._printer._tcp.local	TXT		Printers (HP)	N/A
<u>Additional</u>				
Printer make, model, and engine				
Administrative interface				
Notes (User, Location)				
Queue Information				

## Observed

## Answers

<u>Record</u>	<u>Type</u>	<u>Usage</u>	<u>Sources</u>	<u>Ports</u>
_rfb._tcp.local	PTR		Hosts (Apple)	N/A
HostName._rfb._tcp.local	SRV		Hosts (Apple)	5900
HostName._rfb._tcp.local	TXT		Hosts (Apple)	N/A
_rtsp._tcp.local	PTR		Cameras (Axis)	N/A
HostName._rtsp._tcp.local	SRV		Cameras (Axis)	554
HostName._rtsp._tcp.local	TXT		Cameras (Axis)	N/A
_services._dns-sd._udp.local	PTR		Hosts (Apple), Hosts (Linux)	N/A
_sftp-ssh._tcp.local	PTR		Hosts (Apple), Hosts (Linux)	N/A
HostName._sftp-ssh._tcp.local	SRV		Hosts (Apple), Hosts (Linux)	22
HostName._sftp-ssh._tcp.local	TXT		Hosts (Apple), Hosts (Linux)	N/A
_smb._tcp.local	PTR		Network Attached Storage (Seagate)	N/A
HostName._smb._tcp.local	SRV		Network Attached Storage (Seagate)	445
HostName._smb._tcp.local	TXT		Network Attached Storage (Seagate)	N/A
			<u>Additional</u>	
			Appliance make, and model	
			Administrative interface	
_ssh._tcp.local	PTR		Hosts (Apple), Hosts (Linux)	N/A
HostName._ssh._tcp.local	SRV		Hosts (Apple), Hosts (Linux)	22
HostName._ssh._tcp.local	TXT		Hosts (Apple), Hosts (Linux)	N/A
_telnet._tcp.local	PTR		Printers (HP)	N/A
HostName._telnet._tcp.local	SRV		Printers (HP)	23
HostName._telnet._tcp.local	TXT		Printers (HP)	N/A
_udisks-ssh._tcp.local	PTR		Hosts (Linux)	N/A
HostName._udisks-ssh._tcp.local	SRV		Hosts (Linux)	22
HostName._udisks-ssh._tcp.local	TXT		Hosts (Linux)	N/A
_workstation._tcp.local	PTR		Hosts (Linux)	N/A

# Observed

Answers

<u>Record</u>	<u>Type</u>	<u>Usage</u>	<u>Sources</u>	<u>Ports</u>
<i>HostName [Mac Address]_workstation_tcp.local</i>	SRV		Hosts (Linux)	9
<i>HostName.local</i>	A		Hosts (All), Network Attached Storage (All),	N/A
<i>HostName.local</i>	AAAA		Hosts (All), Network Attached Storage (All),	N/A
<i>HostName.local</i>	HINFO		Hosts (Linux)	N/A

Asked

\_sleep-proxy.\_udp.local

\_touch-able.\_tcp.local

PTR

SRV